



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

A comparison of personality in the common and Bolivian Squirrel Monkey (*Saimiri sciureus* and *Saimiri boliviensis*)

Citation for published version:

Wilson, VAD, Inoue-Murayama, M & Weiss, A 2018, 'A comparison of personality in the common and Bolivian Squirrel Monkey (*Saimiri sciureus* and *Saimiri boliviensis*)', *Journal of Comparative Psychology*, vol. 132, no. 1, pp. 24-39. <https://doi.org/10.1037/com0000093>

Digital Object Identifier (DOI):

[10.1037/com0000093](https://doi.org/10.1037/com0000093)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Journal of Comparative Psychology

Publisher Rights Statement:

This article may not exactly replicate the final version published in the APA journal. It is not the copy of record.

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Table S1

Interrater Reliabilities for Items in Bolivian and Common Squirrel Monkeys and in Saimiri

Items	Bolivian		Common		Saimiri	
	ICC(3,1)	ICC(3,k)	ICC(3,1)	ICC(3,k)	ICC(3,1)	ICC(3,k)
Active	0.53	0.78	0.40	0.64	0.49	0.74
Affectionate	0.20	0.45	0.42	0.67	0.27	0.53
Aggressive	0.35	0.63	0.18	0.38	0.28	0.54
Anxious	0.25	0.51	0.28	0.52	0.26	0.51
Autistic	0.35	0.64	0.58	0.79	0.46	0.72
Bullying	0.28	0.56	0.22	0.43	0.26	0.51
Cautious	0.22	0.48	0.45	0.69	0.34	0.61
Clumsy	0.09	0.23	0.22	0.44	0.11	0.27
Conventional	0.02	0.06	0.00	0.01	0.01	0.02
Cool	0.44	0.72	0.30	0.54	0.40	0.66
Curious	0.15	0.35	0.23	0.45	0.16	0.36
Decisive	0.26	0.53	0.17	0.37	0.23	0.47
Defiant	0.50	0.76	0.31	0.56	0.44	0.70
Dependent-Follower	0.23	0.50	0.43	0.67	0.28	0.53
Depressed	0.15	0.37	0.29	0.53	0.19	0.41
Disorganized	0.06	0.17	0.03	0.08	0.04	0.12
Distractible	0.15	0.37	0.12	0.27	0.13	0.32
Dominant	0.43	0.71	0.27	0.51	0.37	0.63
Erratic	0.07	0.19	0.19	0.40	0.13	0.30
Excitable	0.17	0.40	0.28	0.52	0.20	0.42
Fearful	0.19	0.43	0.20	0.42	0.19	0.42
Friendly	0.05	0.15	0.11	0.25	0.07	0.18
Gentle	0.26	0.53	0.11	0.25	0.21	0.44
Helpful	0.27	0.54	0.23	0.46	0.25	0.50
Imitative	0.04	0.12	0.30	0.54	0.16	0.35
Impulsive	0.16	0.37	0.34	0.59	0.20	0.42
Independent	0.35	0.63	0.26	0.50	0.32	0.58
Individualistic	0.12	0.30	0.33	0.58	0.22	0.46
Innovative	0.16	0.37	0.17	0.37	0.17	0.37
Inquisitive	0.25	0.52	-0.04	-0.11	0.15	0.35
Intelligent	0.19	0.42	0.30	0.54	0.21	0.44
Inventive	0.28	0.55	0.34	0.59	0.29	0.55
Irritable	0.28	0.55	-0.10	-0.32	0.15	0.34
Jealous	0.17	0.40	0.15	0.33	0.16	0.36
Lazy	0.43	0.71	0.11	0.25	0.36	0.63
Manipulative	0.31	0.59	0.27	0.50	0.29	0.55
Persistent	0.29	0.57	0.08	0.18	0.20	0.43
Playful	0.27	0.54	0.29	0.54	0.27	0.53
Predictable	0.10	0.25	0.19	0.39	0.12	0.30
Protective	0.08	0.22	0.27	0.51	0.14	0.32

Quitting	0.01	0.04	0.11	0.26	0.05	0.14
Reckless	0.29	0.56	0.18	0.37	0.24	0.48
Sensitive	0.17	0.39	0.03	0.08	0.10	0.26
Sociable	0.15	0.36	0.20	0.40	0.16	0.36
Solitary	0.37	0.65	0.44	0.69	0.39	0.65
Stable	0.17	0.39	0.06	0.15	0.13	0.31
Stingy-Greedy	0.37	0.65	0.40	0.65	0.39	0.66
Submissive	0.50	0.76	0.22	0.44	0.39	0.66
Sympathetic	0.25	0.51	0.36	0.60	0.28	0.54
Thoughtless	0.43	0.71	0.15	0.32	0.30	0.56
Timid	0.36	0.65	0.29	0.53	0.33	0.60
Unemotional	0.21	0.46	0.20	0.41	0.20	0.42
Unperceptive	-0.03	-0.12	-0.03	-0.07	-0.04	-0.13
Vulnerable	0.40	0.68	0.34	0.58	0.37	0.64

Table S2

PCA-Derived Item Loadings for Common Squirrel Monkeys with Five Components

	PC1	PC2	PC3	PC4	PC5	h2
Impulsive	0.83	0.08	0.09	-0.10	-0.10	0.72
Excitable	0.80	0.12	0.04	0.04	-0.10	0.67
Reckless	0.79	-0.19	-0.22	0.13	-0.07	0.72
Curious	0.78	-0.25	0.22	0.27	-0.17	0.82
Playful	0.76	-0.10	0.18	0.03	-0.25	0.68
Erratic	0.75	0.33	-0.19	0.04	0.22	0.76
Predictable	-0.72	0.15	0.22	0.33	0.11	0.72
Inventive	0.71	-0.07	0.32	0.20	-0.12	0.67
Active	0.69	-0.16	0.29	-0.18	-0.40	0.78
Defiant	0.65	0.14	0.10	0.07	0.16	0.48
Stingy-Greedy	0.65	-0.08	-0.19	0.25	0.18	0.56
Innovative	0.64	-0.10	0.33	0.13	-0.15	0.57
Jealous	0.64	0.06	-0.54	0.14	0.21	0.76
Distractible	0.61	0.12	0.10	0.19	0.25	0.50
Aggressive	0.61	-0.21	-0.43	0.06	0.35	0.73
Bullying	0.61	0.07	-0.48	-0.05	0.39	0.75
Cool	-0.54	0.09	0.20	0.33	0.27	0.52
Imitative	0.54	0.12	0.18	-0.12	0.38	0.49
Anxious	0.11	0.85	-0.18	-0.06	0.07	0.78
Depressed	-0.18	0.82	0.00	0.06	0.28	0.78
Disorganized	0.15	0.79	-0.15	0.13	-0.02	0.69
Timid	-0.26	0.76	0.02	-0.40	0.06	0.81
Autistic	0.18	0.72	0.09	0.02	0.17	0.58
Clumsy	0.05	0.70	-0.04	0.26	0.37	0.70
Fearful	0.02	0.70	-0.13	-0.44	-0.09	0.70
Solitary	-0.28	0.69	-0.12	0.21	0.39	0.77
Cautious	-0.21	0.60	0.02	-0.30	0.07	0.50
Vulnerable	0.17	0.59	0.25	-0.36	0.10	0.58
Sociable	0.28	-0.57	0.30	0.09	0.28	0.58
Thoughtless	0.40	0.53	-0.04	0.38	0.00	0.58
Dependent-Follower	0.02	0.44	0.09	-0.07	-0.08	0.21
Friendly	0.20	-0.03	0.85	-0.24	0.06	0.82
Helpful	0.23	0.00	0.79	0.13	-0.02	0.69
Gentle	-0.33	-0.05	0.78	-0.14	0.02	0.73
Sympathetic	-0.08	-0.13	0.77	0.04	0.12	0.63
Affectionate	0.30	-0.11	0.72	0.01	0.00	0.63
Sensitive	-0.01	0.41	0.67	0.16	0.21	0.69
Decisive	0.19	-0.12	0.05	0.86	-0.03	0.80
Independent	-0.09	-0.34	-0.17	0.81	-0.03	0.80
Intelligent	0.01	0.24	0.34	0.70	-0.03	0.67

Submissive	-0.01	0.52	0.49	-0.54	0.22	0.85
Dominant	0.25	-0.49	-0.42	0.50	0.20	0.77
Persistent	0.43	-0.32	-0.19	0.46	0.08	0.55
Individualistic	0.19	0.27	-0.16	0.38	-0.36	0.41
Unemotional	0.09	0.08	0.01	-0.13	0.76	0.62
Conventional	-0.14	0.30	0.06	-0.10	0.73	0.65
Lazy	-0.22	0.36	-0.06	0.25	0.68	0.70
Stable	0.08	-0.32	0.15	0.21	0.58	0.51
Quitting	-0.08	0.38	0.06	-0.33	0.52	0.53
Manipulative	0.49	0.20	-0.06	-0.19	0.50	0.57
Protective	0.02	-0.30	0.38	0.11	0.40	0.41

Note. h^2 = Communalities. Item loadings $\geq |0.4|$ are in boldface.

Table S3

REFA-derived Item Loadings for Common Squirrel Monkey Factors

	Opn*	Neu	Agr*	Ast*	h ²
Impulsive	-0.81	-0.10	-0.09	0.12	0.69
Excitable	-0.79	-0.02	-0.03	0.04	0.63
Erratic	-0.76	0.32	0.18	0.08	0.72
Reckless	-0.76	-0.18	0.18	-0.23	0.69
Playful	-0.72	-0.26	-0.18	-0.03	0.62
Predictable	0.69	0.31	-0.19	-0.12	0.62
Inventive	-0.69	-0.11	-0.31	-0.15	0.60
Defiant	-0.65	0.17	-0.11	-0.02	0.46
Stingy-Greedy	-0.64	0.09	0.14	-0.31	0.53
Innovative	-0.61	-0.16	-0.32	-0.11	0.52
Distractible	-0.61	0.26	-0.13	-0.14	0.47
Bullying	-0.61	0.24	0.41	-0.08	0.60
Aggressive	-0.59	0.06	0.34	-0.31	0.57
Imitative	-0.53	0.25	-0.22	0.05	0.39
Cool	0.51	0.36	-0.19	-0.22	0.48
Manipulative	-0.50	0.36	0.02	0.11	0.39
Individualistic	-0.21	0.05	0.21	-0.04	0.09
Solitary	0.21	0.78	0.14	0.17	0.71
Clumsy	-0.12	0.77	0.07	0.13	0.63
Lazy	0.17	0.75	0.03	-0.13	0.61
Depressed	0.11	0.74	0.05	0.38	0.71
Conventional	0.11	0.64	-0.09	0.07	0.43
Autistic	-0.23	0.58	-0.04	0.37	0.52
Disorganized	-0.21	0.54	0.21	0.37	0.51
Unemotional	-0.10	0.49	-0.08	-0.04	0.26
Quitting	0.05	0.49	-0.07	0.34	0.36
Thoughtless	-0.43	0.44	0.08	0.03	0.39
Intelligent	-0.03	0.35	-0.30	-0.32	0.32
Friendly	-0.17	-0.07	-0.82	0.20	0.75
Helpful	-0.21	0.01	-0.76	-0.03	0.62
Sympathetic	0.10	0.01	-0.75	-0.08	0.58
Gentle	0.34	-0.04	-0.74	0.14	0.68
Affectionate	-0.27	-0.09	-0.71	-0.02	0.58
Sensitive	-0.01	0.45	-0.62	0.13	0.60
Protective	0.01	0.09	-0.43	-0.32	0.29
Independent	0.09	0.00	0.14	-0.77	0.63
Dominant	-0.23	-0.06	0.34	-0.74	0.71
Fearful	-0.06	0.27	0.19	0.73	0.65
Decisive	-0.19	0.15	-0.06	-0.68	0.52
Vulnerable	-0.20	0.34	-0.20	0.59	0.55
Persistent	-0.41	-0.05	0.13	-0.57	0.51

Cautious	0.16	0.37	0.03	0.56	0.48
Stable	-0.07	0.21	-0.22	-0.48	0.32
Sociable	-0.23	-0.19	-0.37	-0.46	0.44
Dependent-Follower	-0.05	0.22	-0.04	0.34	0.17
Timid	0.21	0.43	0.05	0.73	0.77
Curious	-0.74	-0.24	-0.23	-0.31	0.76
Submissive	-0.01	0.32	-0.44	0.68	0.76
Active	-0.64	-0.45	-0.27	0.13	0.71
Jealous	-0.64	0.17	0.48	-0.18	0.70
Anxious	-0.17	0.58	0.23	0.51	0.68
Cronbach's alpha	0.93	0.89	0.86	0.89	

Note. Opn = Openness; Neu = Neuroticism; Agr = Agreeableness; Ast = Assertiveness;
 * = items reflected. h^2 = Communalities. Item loadings $\geq |0.4|$ are in boldface.

Table S4

REFA-Derived Item Loadings on Bolivian Squirrel Monkey Factors

	Neu*	Ast*	Agr	Opn*	h ²
Thoughtless	-0.86	-0.17	0.08	-0.07	0.78
Intelligent	0.80	-0.16	0.04	0.00	0.67
Quitting	-0.74	-0.11	0.33	-0.08	0.67
Disorganized	-0.72	-0.30	0.16	0.26	0.70
Clumsy	-0.70	-0.29	-0.05	0.28	0.65
Impulsive	-0.69	-0.16	0.05	-0.10	0.52
Autistic	-0.69	-0.02	0.05	0.36	0.61
Fearful	-0.68	0.20	-0.13	0.28	0.60
Imitative	-0.65	0.08	0.36	-0.13	0.57
Decisive	0.62	-0.38	-0.15	-0.13	0.57
Predictable	0.58	0.08	-0.04	0.19	0.38
Erratic	-0.43	-0.15	0.28	0.04	0.29
Persistent	-0.07	-0.74	0.24	0.14	0.64
Dominant	-0.01	-0.74	-0.05	-0.16	0.58
Stingy-Greedy	-0.08	-0.68	-0.34	-0.18	0.62
Jealous	-0.17	-0.66	-0.22	-0.30	0.60
Independent	0.02	-0.64	0.19	0.27	0.52
Aggressive	-0.20	-0.62	-0.24	-0.29	0.56
Bullying	0.15	-0.58	-0.27	-0.17	0.46
Sympathetic	-0.14	0.16	0.83	0.10	0.75
Helpful	-0.01	0.14	0.78	-0.05	0.63
Sensitive	-0.24	-0.14	0.74	0.20	0.67
Protective	0.01	-0.43	0.64	0.06	0.60
Friendly	-0.16	0.05	0.55	-0.04	0.34
Innovative	-0.20	-0.25	-0.02	-0.67	0.56
Active	0.11	-0.13	-0.22	-0.67	0.53
Unemotional	-0.32	-0.31	0.12	0.67	0.66
Conventional	0.23	-0.03	0.27	0.64	0.53
Playful	-0.02	-0.22	0.03	-0.63	0.45
Solitary	-0.12	-0.14	-0.36	0.62	0.55
Inventive	0.22	-0.27	-0.13	-0.59	0.49
Individualistic	-0.24	-0.20	-0.04	0.40	0.26
Timid	-0.73	0.38	0.15	0.40	0.86
Vulnerable	-0.64	0.36	0.19	0.50	0.83
Lazy	-0.31	-0.13	0.23	0.79	0.79
Cautious	-0.71	0.15	0.41	0.31	0.79
Depressed	-0.71	0.18	0.04	0.48	0.77
Excitable	-0.71	-0.38	0.25	-0.19	0.75
Anxious	-0.73	0.22	0.09	0.40	0.75
Dependent-Follower	-0.64	0.51	0.23	0.13	0.73
Manipulative	-0.53	-0.53	0.36	0.17	0.73

Curious	0.10	-0.53	-0.13	-0.63	0.70
Sociable	0.32	-0.35	0.49	-0.45	0.67
Reckless	0.15	-0.38	-0.65	-0.26	0.66
Affectionate	-0.45	0.14	0.64	0.16	0.66
Gentle	-0.21	0.21	0.63	0.40	0.65
Stable	0.61	-0.19	0.41	0.21	0.63
Submissive	-0.40	0.50	0.07	0.34	0.53
Distractible	-0.41	-0.26	-0.16	-0.47	0.49
Cool	0.32	-0.45	0.19	0.33	0.45
Defiant	-0.41	-0.27	0.26	-0.34	0.42
Cronbach's alpha	0.95	0.80	0.87	0.87	

Note. Opn = Openness; Neu = Neuroticism; Agr = Agreeableness; Ast = Assertiveness;

* = items reflected. h^2 = Communalities. Item loadings $\geq |0.4|$ are in boldface.

Table S5

REFA-Derived Item Loadings on Saimiri Genus Factors

Items	Neu	Opn	Agr*	Ast	Dec	h ²
Depressed	0.84	-0.18	0.02	-0.08	-0.04	0.75
Anxious	0.84	0.04	0.14	-0.05	-0.13	0.74
Disorganized	0.77	0.15	0.11	0.08	0.04	0.64
Clumsy	0.77	-0.01	0.02	0.20	0.12	0.65
Vulnerable	0.70	0.04	-0.16	-0.18	-0.30	0.65
Autistic	0.69	0.00	-0.10	0.07	-0.16	0.51
Cautious	0.64	-0.18	-0.15	-0.09	-0.37	0.61
Fearful	0.62	-0.01	0.18	-0.14	-0.43	0.62
Thoughtless	0.61	0.35	0.00	0.21	-0.01	0.53
Solitary	0.60	-0.36	0.18	0.01	0.26	0.60
Quitting	0.59	-0.06	-0.19	0.13	-0.21	0.45
Individualistic	0.37	0.25	0.25	-0.02	0.32	0.37
Active	-0.27	0.74	-0.07	0.04	-0.12	0.64
Innovative	0.11	0.70	-0.05	0.13	0.15	0.54
Inventive	-0.09	0.70	-0.06	0.17	0.24	0.58
Impulsive	0.36	0.65	-0.04	0.23	-0.14	0.62
Playful	-0.25	0.61	-0.19	0.24	-0.13	0.54
Distractible	0.24	0.51	-0.08	0.32	0.09	0.44
Conventional	0.29	-0.50	-0.25	0.14	0.05	0.41
Cool	0.00	-0.45	-0.20	0.02	0.41	0.41
Sympathetic	-0.03	-0.05	-0.77	-0.20	0.04	0.63
Friendly	0.02	0.21	-0.74	-0.20	-0.10	0.64
Helpful	-0.04	0.20	-0.73	-0.18	0.07	0.61
Affectionate	0.06	0.11	-0.71	-0.04	-0.22	0.58
Gentle	0.10	-0.18	-0.66	-0.41	0.01	0.64
Sensitive	0.39	0.00	-0.63	-0.14	0.20	0.61
Protective	-0.12	-0.13	-0.59	0.27	0.13	0.46
Aggressive	0.00	0.22	0.18	0.78	-0.10	0.70
Dominant	-0.20	0.06	0.15	0.71	0.23	0.62
Jealous	0.14	0.33	0.27	0.69	0.02	0.68
Bullying	0.05	0.17	0.27	0.65	0.01	0.53
Persistent	-0.02	0.16	-0.09	0.63	0.27	0.50
Stingy-Greedy	-0.01	0.35	0.09	0.62	0.13	0.53
Intelligent	-0.15	0.05	-0.10	-0.11	0.68	0.51
Decisive	-0.30	0.16	-0.01	0.18	0.67	0.59
Independent	0.01	-0.01	0.07	0.30	0.62	0.48
Dependent-Follower	0.34	-0.02	-0.19	-0.22	-0.40	0.36
Timid	0.74	-0.18	-0.01	-0.29	-0.37	0.81
Curious	-0.26	0.70	-0.11	0.36	0.20	0.74
Lazy	0.62	-0.43	-0.11	0.18	0.24	0.66
Sociable	-0.52	0.07	-0.52	0.34	0.02	0.66

Excitable	0.39	0.56	-0.11	0.37	-0.13	0.64
Submissive	0.57	-0.02	-0.25	-0.37	-0.28	0.61
Erratic	0.50	0.46	0.07	0.36	0.03	0.60
Manipulative	0.48	0.07	-0.25	0.53	-0.12	0.59
Predictable	0.04	-0.43	-0.01	-0.36	0.50	0.57
Reckless	-0.22	0.52	0.23	0.43	0.06	0.56
Imitative	0.27	0.16	-0.43	0.26	-0.41	0.52
Unemotional	0.40	-0.34	-0.27	0.39	-0.03	0.50
Defiant	0.22	0.41	-0.21	0.38	-0.11	0.42
Stable	-0.19	-0.20	-0.33	0.26	0.35	0.38
Cronbach's alpha	0.93	0.88	0.85	0.87	0.66	

Note. Neu = Neuroticism; Opn = Openness; Agr = Agreeableness; Ast = Assertiveness; Dec = Decisiveness. * = items reflected. h^2 = Communalities. Item loadings $\geq |0.4|$ are highlighted in bold.

Table S6

PCA-derived Linear Regressions of Personality Component Scores for Age, Sex and their Interaction in Common and Bolivian Squirrel Monkeys

Common squirrel monkeys					
	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	-1.05	0.33	[-1.53, -0.75]	-3.20	0.003
Sex	0.28	0.44	[-0.26, 0.82]	0.65	0.52
Age	0.04	0.04	[-0.00, 0.12]	0.99	0.33
Sex x Age	0.05	0.04	[-0.02, 0.10]	1.26	0.21
Openness					
Intercept	0.34	0.40	[-0.24, 0.85]	0.86	0.39
Sex	0.78	0.53	[0.02, 1.74]	1.48	0.15
Age	-0.09	0.04	[-0.13, 0.02]	-1.98	0.054
Sex x Age	0.00	0.05	[-0.11, 0.08]	0.09	0.93
Assertiveness					
Intercept	-0.44	0.44	[-1.10, 0.21]	-0.99	0.33
Sex	1.52	0.59	[0.75, 2.56]	2.57	0.014
Age	0.04	0.05	[-0.01, 0.14]	0.76	0.45
Sex x Age	-0.13	0.06	[-0.23, -0.05]	-2.22	0.032
Agreeableness					
Intercept	-0.59	0.35	[-1.38, 0.05]	-1.68	0.10
Sex	0.02	0.47	[-0.92, 1.08]	0.04	0.97
Age	0.06	0.04	[-0.02, 0.12]	1.55	0.13
Sex x Age	-0.02	0.05	[-0.14, 0.07]	-0.40	0.69
Bolivian squirrel monkeys					
	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	0.77	0.33	[0.12, 1.36]	2.34	0.027
Sex	0.09	0.40	[-0.65, 0.85]	0.23	0.82
Age	-0.02	0.03	[-0.07, 0.02]	-0.77	0.45
Sex x Age	-0.07	0.04	[-0.14, 0.03]	-1.52	0.14
Openness					
Intercept	0.39	0.46	[-0.60, 1.41]	0.84	0.41
Sex	0.54	0.57	[-0.58, 2.03]	0.95	0.35
Age	-0.09	0.04	[-0.18, -0.01]	-2.21	0.036
Sex x Age	-0.01	0.06	[-0.18, 0.11]	-0.20	0.84
Assertiveness					
Intercept	-0.93	0.59	[-1.64, 0.04]	-1.56	0.13
Sex	0.48	0.73	[-0.86, 1.96]	0.66	0.52
Age	0.10	0.05	[0.01, 0.17]	1.82	0.080
Sex x Age	0.01	0.08	[-0.24, 0.17]	0.13	0.90
Agreeableness					
Intercept	1.24	0.42	[0.50, 1.84]	2.94	0.006
Sex	-1.25	0.52	[-2.08, -0.11]	-2.39	0.024
Age	-0.06	0.04	[-0.11, -0.01]	-1.68	0.10
Sex x Age	0.07	0.06	[-0.12, 0.19]	1.33	0.20

Note. Bold cells indicate a significant effect for that variable. Estimates shown are for common squirrel monkeys compared with Bolivian squirrel monkeys, and for males compared with females.

Table S7

REFA-derived Linear Regressions of Personality Component Scores for Age, Sex and their Interaction in Common and Bolivian Squirrel Monkeys

Common squirrel monkeys					
	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	-1.05	0.33	[-1.47, -0.81]	-3.20	0.003
Sex	0.28	0.44	[-0.24, 0.90]	0.65	0.52
Age	0.04	0.04	[0.00, 0.12]	0.99	0.33
Sex x Age	0.05	0.04	[-0.02, 0.11]	1.26	0.21
Openness					
Intercept	0.34	0.40	[-0.18, 0.98]	0.86	0.39
Sex	0.78	0.53	[-0.09, 1.70]	1.48	0.15
Age	-0.09	0.04	[-0.14, 0.00]	-1.98	0.054
Sex x Age	0.00	0.05	[-0.10, 0.09]	0.09	0.93
Assertiveness					
Intercept	-0.44	0.44	[-1.16, 0.24]	-0.99	0.33
Sex	1.52	0.59	[0.69, 2.73]	2.57	0.014
Age	0.04	0.05	[-0.02, 0.16]	0.76	0.45
Sex x Age	-0.13	0.06	[-0.25, -0.04]	-2.22	0.032
Agreeableness					
Intercept	-0.59	0.35	[-1.62, -0.00]	-1.68	0.10
Sex	0.02	0.47	[-0.78, 1.38]	0.04	0.97
Age	0.06	0.04	[-0.02, 0.14]	1.55	0.13
Sex x Age	-0.02	0.05	[-0.16, 0.06]	-0.40	0.69
Bolivian squirrel monkeys					
	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	0.75	0.31	[0.07, 1.29]	2.41	0.023
Sex	0.07	0.38	[-0.64, 0.82]	0.18	0.86
Age	-0.02	0.03	[-0.06, 0.03]	-0.70	0.49
Sex x Age	-0.06	0.04	[-0.15, 0.03]	-1.48	0.15
Openness					
Intercept	0.39	0.46	[-0.51, 1.29]	0.84	0.41
Sex	0.54	0.57	[-0.50, 1.82]	0.95	0.35
Age	-0.09	0.04	[-0.17, -0.01]	-2.21	0.034
Sex x Age	-0.01	0.06	[-0.14, 0.11]	-0.20	0.84
Assertiveness					
Intercept	-0.80	0.58	[-1.52, 0.05]	-1.37	0.18
Sex	0.65	0.72	[-0.51, 2.08]	0.90	0.38
Age	0.08	0.05	[0.01, 0.14]	1.50	0.14
Sex x Age	-0.01	0.08	[-0.19, 0.20]	-0.19	0.85
Agreeableness					
Intercept	1.16	0.48	[0.04, 2.15]	2.43	0.022
Sex	-1.24	0.59	[-2.51, 0.05]	-2.11	0.044
Age	-0.06	0.04	[-0.14, 0.02]	-1.30	0.20
Sex x Age	0.07	0.06	[-0.16, 0.19]	1.05	0.30

Note. Bold cells indicate a significant effect for that variable. Estimates shown are for common squirrel monkeys compared with Bolivian squirrel monkeys, and for males compared with females.

Table S8

REFA-Derived Correlations of Common and Bolivian Squirrel Monkeys and Brown Capuchin Monkey Component Scores

	Assertiveness	Openness	Neuroticism	Agreeableness
<i>Brown capuchin</i>	<i>Common squirrel monkey¹</i>			
Assertiveness	0.81 [0.64, 0.90]	0.61 [0.38, 0.75]	-0.23 [-0.52, 0.01]	-0.32 [-0.59, -0.01]
Openness	0.36 [0.02, 0.63]	0.78 [0.56, 0.88]	-0.38 [-0.63, -0.15]	0.21 [-0.15, 0.47]
Neuroticism	-0.24 [-0.51, 0.14]	0.58 [0.41, 0.73]	-0.16 [-0.37, 0.13]	-0.34 [-0.60, -0.07]
Sociability	0.50 [0.29, 0.72]	0.13 [-0.23, 0.57]	-0.83 [-0.89, -0.74]	0.36 [0.08, 0.64]
Attentiveness	0.19 [-0.13, 0.42]	-0.53 [-0.71, -0.19]	-0.74 [-0.81, -0.62]	0.23 [-0.06, 0.50]
<i>Brown capuchin</i>	<i>Bolivian squirrel monkey²</i>			
Assertiveness	0.79 [0.64, 0.88]	0.46 [0.25, 0.66]	-0.47 [-0.64, -0.22]	-0.41 [-0.68, -0.17]
Openness	0.58 [0.33, 0.76]	0.90 [0.82, 0.94]	-0.10 [-0.45, 0.20]	-0.12 [-0.51, 0.14]
Neuroticism	0.18 [-0.16, 0.42]	0.28 [-0.02, 0.53]	0.62 [0.34, 0.74]	-0.13 [-0.43, 0.14]
Sociability	0.03 [-0.25, 0.43]	0.58 [0.37, 0.73]	-0.57 [-0.69, -0.36]	0.28 [-0.04, 0.55]
Attentiveness	-0.35 [-0.57, -0.00]	0.15 [-0.11, 0.42]	-0.86 [-0.92, -0.70]	-0.12 [-0.45, 0.28]
<i>Bolivian squirrel monkey</i>	<i>Common squirrel monkey³</i>			
Assertiveness	0.57 [0.26, 0.75]	0.77 [0.56, 0.86]	0.02 [-0.27, 0.36]	-0.28 [-0.55, 0.13]
Openness	0.30 [-0.09, 0.57]	0.65 [0.40, 0.78]	-0.57 [-0.73, -0.31]	0.22 [-0.11, 0.56]
Neuroticism	-0.69 [-0.79, -0.54]	0.37 [0.07, 0.64]	0.75 [0.60, 0.83]	-0.04 [-0.33, 0.34]
Agreeableness	-0.06 [-0.40, 0.30]	-0.11 [-0.41, 0.26]	-0.04 [-0.40, 0.30]	0.98 [0.97, 0.99]
<i>Common squirrel monkey</i>	<i>Bolivian squirrel monkey⁴</i>			
Assertiveness	0.50 [0.27, 0.75]	0.42 [0.12, 0.59]	-0.72 [-0.79, -0.56]	-0.17 [-0.42, 0.09]
Openness	0.80 [0.66, 0.87]	0.62 [0.41, 0.75]	0.30 [-0.04, 0.55]	-0.09 [-0.42, 0.26]
Neuroticism	0.07 [-0.23, 0.35]	-0.62 [-0.77, -0.43]	0.84 [0.71, 0.90]	0.28 [-0.09, 0.59]
Agreeableness	-0.21 [-0.56, 0.06]	-0.26 [-0.57, 0.10]	0.42 [0.13, 0.62]	0.99 [0.98, 0.99]

Note. Significant correlations highlighted in bold. ¹In the first set of correlations, scores for common squirrel monkeys are correlated with common squirrel monkeys scored using the definitions of brown capuchins. ²In the second set of correlations, scores for Bolivian squirrel monkeys are correlated with Bolivian squirrel monkeys scored using the definitions of brown capuchins. ³In the third set of correlations, scores for common squirrel monkeys are correlated with common squirrel monkeys scored using the definitions of Bolivian squirrel monkeys. ⁴In the fourth set of correlations, scores for Bolivian squirrel monkeys are correlated with Bolivian squirrel monkeys scored using the definitions of common squirrel monkeys.

Table S9

REFA-Derived Bolivian Squirrel Monkey Structure Rotated Toward REFA-Derived Common Squirrel Monkey Structure

	Opn	Neu	Agr	Ast	Congruence
Aggressive	-0.619	0.060	0.297	-0.293	0.997
Sociable	-0.286	-0.233	-0.514	-0.520	0.996
Autistic	-0.184	0.608	0.064	0.452	0.985
Sensitive	-0.094	0.491	-0.645	0.006	0.981
Fearful	-0.109	0.412	0.181	0.624	0.974
Timid	0.026	0.519	-0.09	0.762	0.965
Defiant	-0.593	0.092	-0.247	0.061	0.961
Lazy	0.237	0.851	-0.044	0.102	0.955
Helpful	0.026	0.088	-0.784	0.044	0.944
Jealous	-0.634	0.058	0.277	-0.344	0.941
Playful	-0.519	-0.384	-0.100	-0.154	0.941
Depressed	-0.022	0.625	0.055	0.615	0.941
Dependent-Follower	-0.023	0.236	-0.248	0.785	0.940
Friendly	-0.096	0.155	-0.543	0.105	0.938
Anxious	-0.057	0.566	-0.009	0.651	0.937
Unemotional	0.063	0.807	0.067	-0.021	0.933
Stingy-Greedy	-0.517	0.092	0.414	-0.413	0.917
Sympathetic	0.053	0.267	-0.810	0.141	0.917
Protective	-0.189	0.365	-0.541	-0.371	0.908
Disorganized	-0.420	0.677	-0.019	0.258	0.906
Clumsy	-0.384	0.627	0.189	0.270	0.902
Innovative	-0.665	-0.331	-0.048	-0.052	0.900
Manipulative	-0.489	0.669	-0.197	-0.055	0.892
Curious	-0.607	-0.345	0.099	-0.449	0.891
Vulnerable	0.128	0.568	-0.116	0.689	0.887
Thoughtless	-0.627	0.422	-0.006	0.455	0.856
Excitable	-0.737	0.383	-0.168	0.188	0.853
Submissive	0.239	0.255	-0.068	0.633	0.852
Dominant	-0.496	0.170	0.147	-0.532	0.848
Solitary	0.249	0.504	0.488	0.013	0.831
Cautious	-0.137	0.591	-0.322	0.562	0.813
Imitative	-0.414	0.245	-0.343	0.472	0.802
Active	-0.422	-0.561	0.106	-0.159	0.776
Stable	0.373	0.056	-0.372	-0.588	0.775
Gentle	0.232	0.465	-0.561	0.251	0.766
Impulsive	-0.548	0.308	-0.003	0.351	0.763
Decisive	0.079	-0.256	0.144	-0.690	0.745
Conventional	0.505	0.458	-0.157	-0.194	0.728
Cool	0.153	0.334	-0.074	-0.558	0.722
Distractible	-0.665	-0.111	0.143	0.101	0.720

Erratic	-0.310	0.352	-0.211	0.160	0.710
Persistent	-0.358	0.490	-0.080	-0.510	0.704
Bullying	-0.318	-0.028	0.314	-0.506	0.679
Predictable	0.493	-0.155	0.027	-0.329	0.676
Reckless	-0.268	-0.270	0.640	-0.324	0.651
Quitting	-0.543	0.388	-0.267	0.392	0.643
Inventive	-0.384	-0.473	0.056	-0.336	0.642
Affectionate	-0.098	0.419	-0.585	0.360	0.641
Independent	-0.161	0.501	-0.031	-0.494	0.637
Individualistic	0.008	0.487	0.152	0.021	0.345
Intelligent	0.378	-0.290	-0.063	-0.664	0.260
Overall	0.842	0.783	0.787	0.878	0.819

Note. Opn = Openness; Neu = Neuroticism; Ast = Assertiveness; Agr = Agreeableness.

Cells in bold italics indicate congruences > 0.95; cells in italics indicate congruences > 0.85.

Table S10

REFA-Derived Common Squirrel Monkey Structure Rotated Toward Saimiri Genus Structure

	Neu	Opn	Agr	Ast	Dec	Congruence
Submissive	0.676	-0.031	-0.260	-0.442	-0.323	0.999
Depressed	0.781	-0.213	-0.029	-0.121	-0.099	0.993
Friendly	0.032	0.212	-0.797	-0.323	-0.136	0.992
Curious	-0.196	0.742	-0.172	0.278	0.195	0.988
Vulnerable	0.641	0.072	-0.205	-0.248	-0.368	0.988
Fearful	0.620	0.037	0.082	-0.142	-0.522	0.986
Timid	0.685	-0.254	-0.078	-0.274	-0.470	0.986
Predictable	0.020	-0.481	-0.115	-0.456	0.467	0.984
Disorganized	0.755	0.240	0.091	-0.015	-0.025	0.982
Aggressive	-0.061	0.132	0.311	0.757	-0.127	0.978
Solitary	0.708	-0.351	0.097	0.001	0.145	0.975
Helpful	-0.014	0.373	-0.680	-0.225	0.088	0.974
Manipulative	0.422	0.052	-0.221	0.497	-0.289	0.971
Erratic	0.514	0.416	0.019	0.546	-0.069	0.971
Reckless	-0.060	0.608	0.218	0.482	0.126	0.970
Impulsive	0.238	0.766	-0.015	0.157	-0.064	0.968
Anxious	0.749	0.082	0.278	-0.090	-0.261	0.967
Jealous	0.205	0.230	0.457	0.654	-0.022	0.964
Clumsy	0.681	-0.086	-0.065	0.264	-0.035	0.962
Lazy	0.541	-0.404	-0.106	0.321	0.404	0.962
Unemotional	0.375	-0.415	-0.074	0.394	0.005	0.955
Sociable	-0.573	-0.119	-0.382	0.314	0.073	0.953
Cautious	0.543	-0.285	0.009	-0.155	-0.466	0.952
Active	-0.163	0.752	-0.201	-0.093	-0.269	0.951
Playful	-0.076	0.738	-0.097	0.182	-0.101	0.950
Defiant	0.172	0.347	-0.391	0.498	-0.253	0.947
Autistic	0.707	0.144	-0.024	-0.109	-0.114	0.945
Dominant	-0.452	-0.085	0.191	0.672	0.282	0.942
Bullying	0.319	0.243	0.222	0.728	-0.112	0.935
Thoughtless	0.560	0.393	-0.110	0.250	0.234	0.932
Inventive	0.044	0.671	-0.309	0.207	0.166	0.930
Decisive	-0.273	0.303	-0.189	0.390	0.610	0.927
Innovative	-0.021	0.731	-0.318	0.081	0.240	0.926
Stable	-0.033	-0.133	-0.306	0.428	0.540	0.923
Sensitive	0.467	0.097	-0.489	-0.366	0.357	0.920
Conventional	0.553	-0.445	-0.144	0.242	0.047	0.918
Imitative	0.264	0.196	-0.481	0.515	-0.215	0.913
Excitable	0.216	0.764	0.045	0.266	-0.015	0.911
Stingy-Greedy	0.065	0.424	0.363	0.482	0.252	0.895
Protective	-0.322	-0.212	-0.510	0.226	-0.071	0.895
Gentle	0.028	-0.155	-0.465	-0.697	0.201	0.886

Distractible	0.434	0.369	-0.070	0.383	0.352	<i>0.884</i>
Affectionate	-0.111	0.422	-0.668	-0.091	-0.101	<i>0.880</i>
Individualistic	0.191	0.479	0.261	-0.114	0.256	<i>0.876</i>
Cool	-0.137	-0.527	-0.579	0.00	0.251	<i>0.854</i>
Sympathetic	-0.119	-0.057	-0.517	-0.494	0.251	0.835
Dependent-Follower	0.254	0.150	-0.340	0.086	-0.530	0.808
Independent	-0.540	0.048	0.138	0.243	0.666	0.782
Intelligent	0.003	0.244	-0.470	-0.006	0.510	0.773
Quitting	0.623	-0.365	0.116	-0.155	-0.097	0.732
Persistent	-0.465	0.188	0.155	0.514	0.139	0.727
Overall	<i>0.936</i>	<i>0.958</i>	<i>0.885</i>	<i>0.938</i>	<i>0.907</i>	<i>0.928</i>

Note. Opn = Openness; Neu = Neuroticism; Ast = Assertiveness; Agr = Agreeableness; Dec = Decisiveness.
Cells in bold italics indicate congruences > 0.95; cells in italics indicate congruences > 0.85.

Table S11

REFA-Derived Bolivian Squirrel Monkey Structure Rotated Toward Saimiri Genus Structure

	Neu	Opn	Agr	Ast	Dec	Congruence
Timid	0.786	-0.117	-0.105	-0.276	-0.378	0.991
Fearful	0.663	-0.038	0.142	-0.069	-0.375	0.990
Autistic	0.730	-0.086	-0.037	0.119	-0.250	0.982
Lazy	0.659	-0.558	-0.191	0.132	0.100	0.973
Imitative	0.356	0.116	-0.447	0.194	-0.627	0.971
Helpful	0.083	0.123	-0.730	-0.298	0.146	0.969
Aggressive	0.011	0.341	0.177	0.653	0.023	0.969
Excitable	0.546	0.496	-0.261	0.371	-0.117	0.968
Unemotional	0.539	-0.535	-0.144	0.418	-0.014	0.965
Sympathetic	0.215	-0.041	-0.811	-0.222	0.001	0.957
Clumsy	0.746	0.098	0.075	0.292	-0.056	0.957
Manipulative	0.585	0.123	-0.361	0.484	0.105	<i>0.945</i>
Sociable	-0.457	0.263	-0.544	0.278	0.196	<i>0.944</i>
Vulnerable	0.746	-0.260	-0.153	-0.247	-0.353	<i>0.942</i>
Anxious	0.799	-0.081	-0.048	-0.148	-0.290	<i>0.942</i>
Jealous	-0.062	0.272	0.121	0.763	-0.059	<i>0.941</i>
Dependent-Follower	0.602	0.111	-0.184	-0.453	-0.381	<i>0.937</i>
Cautious	0.759	-0.018	-0.374	-0.113	-0.248	<i>0.932</i>
Disorganized	0.777	0.136	-0.134	0.274	-0.025	<i>0.928</i>
Stingy-Greedy	-0.075	0.152	0.253	0.771	0.024	<i>0.923</i>
Depressed	0.771	-0.234	-0.035	-0.018	-0.382	<i>0.917</i>
Thoughtless	0.667	0.356	-0.10	0.278	-0.355	<i>0.916</i>
Stable	-0.405	-0.448	-0.436	0.130	0.338	<i>0.915</i>
Persistent	0.154	-0.053	-0.278	0.701	0.279	<i>0.912</i>
Independent	0.260	-0.016	-0.136	0.389	0.595	<i>0.899</i>
Impulsive	0.621	0.508	-0.006	0.062	-0.029	<i>0.898</i>
Submissive	0.441	-0.247	-0.051	-0.358	-0.391	<i>0.896</i>
Curious	-0.413	0.489	0.044	0.552	0.031	<i>0.895</i>
Active	-0.420	0.562	0.173	0.125	-0.044	<i>0.895</i>
Decisive	-0.521	-0.013	0.146	0.222	0.489	<i>0.887</i>
Sensitive	0.315	-0.139	-0.754	0.140	-0.015	<i>0.878</i>
Conventional	0.160	-0.598	-0.219	-0.061	0.314	<i>0.865</i>
Intelligent	-0.549	-0.114	0.018	-0.123	0.660	<i>0.860</i>
Individualistic	0.53	-0.024	0.137	-0.015	0.377	<i>0.859</i>
Gentle	0.352	-0.376	-0.624	-0.148	-0.153	<i>0.856</i>
Solitary	0.377	-0.489	0.381	0.184	0.078	<i>0.854</i>
Cool	-0.083	-0.385	-0.203	0.372	0.383	<i>0.849</i>
Dominant	0.033	0.326	0.055	0.564	0.439	<i>0.842</i>
Inventive	-0.420	0.524	0.112	0.167	0.170	<i>0.842</i>
Playful	-0.423	0.344	-0.165	0.440	-0.377	<i>0.835</i>
Defiant	0.294	0.620	-0.233	0.107	0.117	<i>0.821</i>

Quitting	0.618	0.396	-0.315	0.111	-0.190	0.817
Friendly	0.051	-0.083	-0.617	0.088	-0.284	0.816
Affectionate	0.501	0.035	-0.607	-0.162	-0.121	0.814
Innovative	-0.188	0.625	-0.054	0.311	-0.196	0.778
Reckless	-0.334	0.119	0.578	0.489	-0.039	0.767
Erratic	0.508	0.313	-0.210	-0.022	0.173	0.746
Protective	0.184	0.142	-0.588	0.156	0.505	0.736
Bullying	-0.118	0.280	0.281	0.396	0.444	0.722
Distractible	0.020	0.439	0.064	0.452	-0.395	0.678
Predictable	-0.419	-0.436	0.035	-0.079	0.172	0.603
Overall	<i>0.922</i>	<i>0.862</i>	<i>0.916</i>	<i>0.892</i>	<i>0.785</i>	<i>0.884</i>

Note. Opn = Openness; Neu = Neuroticism; Ast = Assertiveness; Agr = Agreeableness; Dec = Decisiveness.
Cells in bold italics indicate congruences > 0.95; cells in italics indicate congruences > 0.85.

Table S12

PCA-derived Linear Regressions of Genus Level Components for Species, Sex and their Interaction

	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	0.27	0.20	[-0.02, 0.56]	1.34	0.19
Species	-0.38	0.28	[-0.84, 0.04]	-1.40	0.17
Sex	-0.54	0.30	[-0.98, -0.04]	-1.79	0.08
Species x Sex	1.12	0.38	[0.40, 1.83]	2.93	0.004
Openness					
Intercept	-0.38	0.24	[-0.66, -0.09]	-1.62	0.11
Species	0.30	0.32	[-0.33, 0.73]	0.95	0.34
Sex	0.51	0.35	[-0.08, 0.97]	1.46	0.15
Species x Sex	-0.13	0.45	[-0.87, 0.76]	-0.29	0.77
Assertiveness					
Intercept	-0.04	0.23	[-0.40, 0.28]	-0.18	0.86
Species	-0.25	0.31	[-0.70, 0.35]	-0.80	0.43
Sex	0.06	0.34	[-0.67, 0.79]	0.18	0.86
Species x Sex	0.47	0.43	[-0.46, 1.33]	1.09	0.28
Agreeableness					
Intercept	0.84	0.22	[0.49, 1.14]	3.74	0.000
Species	-1.09	0.30	[-1.73, -0.49]	-3.58	0.000
Sex	-0.49	0.33	[-0.99, -0.04]	-1.47	0.15
Species x Sex	0.56	0.42	[-0.21, 1.42]	1.31	0.19
Decisiveness					
Intercept	-0.28	0.24	[-0.64, -0.00]	-1.20	0.23
Species	0.18	0.32	[-0.29, 0.76]	0.58	0.57
Sex	-0.31	0.35	[-0.99, 0.52]	-0.88	0.38
Species x Sex	0.60	0.45	[-0.41, 1.50]	1.34	0.18

Note. Bold cells indicate a significant effect. Estimates shown are for common squirrel monkeys compared with Bolivian squirrel monkeys, and for males compared with females.

Table S13

REFA-derived Means and Standard Deviations for Genus-Level Factor z-Scores in Common and Bolivian Squirrel Monkeys

	Neu	Opn	Ast	Agr	Dec
	Common				
Mean (SD)	0.26 (0.95)	0.14 (1.11)	0.14 (1.00)	-0.21 (1.01)	0.08 (0.97)
	Bolivian				
Mean (SD)	-0.35 (0.96)	-0.19 (0.80)	-0.19 (0.98)	0.29 (0.92)	-0.12 (1.04)

Note. Neu = Neuroticism; Opn = Openness; Ast = Assertiveness; Agr = Agreeableness; Dec = Decisiveness.
 Bold cells indicate that mean score is significantly higher in that species.

Table S14

REFA-derived Means and Standard Deviations of Genus-Level Factor z-Scores for Male and Female Common and Bolivian Squirrel Monkeys

	Neu	Opn	Ast	Agr	Dec
	Common				
Male Mean (SD)	0.47 (1.01)	0.28 (1.20)	0.23 (0.93)	-0.18 (0.98)	0.19 (1.04)
Female Mean (SD)	-0.14 (0.77)	-0.08 (0.92)	-0.25 (0.90)	-0.25 (1.12)	-0.13 (0.86)
	Bolivian				
Male Mean (SD)	-0.26 (0.67)	0.17 (0.84)	0.03 (1.30)	0.35 (0.71)	-0.52 (1.30)
Female Mean (SD)	0.30 (0.61)	-0.34 (0.57)	-0.12 (0.68)	0.84 (0.65)	-0.26 (0.69)

Note. Neu = Neuroticism; Opn = Openness; Ast = Assertiveness; Agr = Agreeableness; Dec = Decisiveness.
 Bold cells indicate that mean score is significantly higher in that sex, for each species.

Table S15

REFA-derived Linear Regressions of Genus Level Factors for Species, Sex and their Interaction

	Estimate	SE	95% CI	t	p
Neuroticism					
Intercept	0.30	0.20	[0.02, 0.61]	1.48	0.14
Species	-0.43	0.27	[-0.82, 0.06]	-1.58	0.12
Sex	-0.56	0.30	[-1.00, -0.12]	-1.87	0.065
Species x sex	1.17	0.38	[0.39, 1.80]	3.05	0.003
Openness					
Intercept	-0.34	0.24	[-0.62, -0.06]	-1.45	0.15
Species	0.26	0.32	[-0.31, 0.74]	0.82	0.41
Sex	0.51	0.35	[-0.04, 0.99]	1.45	0.15
Species x sex	-0.15	0.45	[-0.89, 0.73]	-0.34	0.74
Assertiveness					
Intercept	-0.12	0.23	[-0.42, 0.20]	-0.53	0.60
Species	-0.13	0.31	[-0.58, 0.38]	-0.40	0.69
Sex	0.15	0.34	[-0.65, 0.84]	0.45	0.66
Species x sex	0.32	0.44	[-0.68, 1.19]	0.73	0.47
Agreeableness					
Intercept	0.84	0.22	[0.53, 1.18]	3.74	0.000
Species	-1.09	0.30	[-1.68, -0.50]	-3.58	0.000
Sex	-0.49	0.33	[-1.10, -0.08]	-1.47	0.15
Species x sex	0.56	0.42	[-0.24, 1.35]	1.31	0.19
Decisiveness					
Intercept	-0.26	0.24	[-0.56, 0.07]	-1.10	0.27
Species	0.13	0.33	[-0.39, 0.61]	0.41	0.68
Sex	-0.26	0.36	[-1.02, 0.49]	-0.73	0.47
Species x sex	0.58	0.46	[-0.33, 1.62]	1.28	0.20

Note. Bold cells indicate a significant effect. Estimates shown are for common squirrel monkeys compared with Bolivian squirrel monkeys, and for males compared with females.